

CliniSciences Group

Immunology and Inflammation

The immune system is a complex network of structures and processes whose primary function is to recognize and eliminate antigenic foreign substances, thereby protecting the body from harm. Its core feature is that immune cells and non-immune cells activated by antigens work through various biological processes, including cytokine mediation and signal transduction, to eliminate pathogens and promote tissue repair. The entire response process involves multiple signaling pathways.




Fig. 1 Signaling pathways related to immunity and inflammation [1]

Application

- NF-кB is a key transcription factor involved in regulating immune and inflammatory responses. It is commonly used to study inflammatory diseases (such as rheumatoid arthritis and inflammatory bowel disease), cancer, autoimmune diseases, and more.
- TLR (Toll-like Receptors) is involved in regulating the production of inflammatory mediators and the activation of
 immune cells. It is widely used in research on infectious diseases, autoimmune diseases, immune response mechanisms,
 and mechanisms of anti-infective therapies.
- MAPK (Mitogen-Activated Protein Kinase) plays a significant role in tumor cell growth, proliferation, metastasis, and
 drug resistance. It is frequently used in the study of cancer, inflammatory diseases, such as rheumatoid arthritis and
 inflammatory bowel disease.
- PI3K-Akt is crucial for cell survival, proliferation, and immune regulation, and it also plays a role in controlling
 inflammatory responses. This pathway is extensively studied in cancer research, diabetes, cardiovascular diseases, and
 neurodegenerative diseases.
- JAK (Janus Kinase) is a common signaling pathway for many cytokines, including several immune-regulating factors like
 interleukins and interferons. It is commonly used in research related to inflammatory diseases, cancer, and certain
 immunodeficiency disorders.
- NLRP3 inflammasome is an important signaling pathway in the innate immune system, responsible for sensing and
 responding to intracellular and extracellular danger signals, activating caspase-1, and initiating inflammatory responses.
 It plays a vital role in defending against infections, clearing damaged cells, and tissue repair.

Distributed by:



Inflammation is a specific immune response that generally occurs in the innate immune phase; its stimuli include infection or tissue damage, which can trigger a cascade of reactions involving cytokines, chemokines, and other proteins, causing localized redness, heat, and pain.

Chronic inflammation can lead to dysregulation of innate immune responses and changes in the surrounding tissue microenvironment, thereby reducing the effectiveness of functional immune responses within the body. Many diseases are associated with chronic inflammation caused by microorganisms, autoimmunity, allergies, metabolism, physical factors, etc $^{[2-4]}$.




Fig. 2 Routes for signaling inflammation across the gut-brain axis. [5]

TargetMol offers various inhibitors, agonists, cytokines, and compound libraries targeting different pathways and targets related to immunity and inflammation to meet the needs of customers in various research fields. These products are widely used in innovative drug screening, inflammation model induction, drug repositioning, immune mechanism research, target validation, and organoid culture-related research fields. We provide reliable technical support and solutions for researchers.

Popular Products (Part) -

Inhibitors & Agonists

Catalog No.	Product Name	Description	
TQ0198	Phorbol 12-myristate 13-acetate	Phorbol 12-myristate 13-acetate (PMA), a member of the phorbol ester group of natural products, activates PKC, SphK, and NF-κB, and induces THP1 cell differentiation.	
T8689	Chloroquine	Chloroquine is a Toll-like receptor inhibitor that inhibits autophagy. Chloroquine has anti-malarial and anti-inflammatory activity and is widely used in the treatment of malaria and rheumatoid arthritis.	
T11855	Lipopolysaccharides	Lipopolysaccharides (LPS) derived from Escherichia coli 055:B5, are a unique component of the cell wall of Gram-negative bacteria, and highly immunogenic antigens that can enhance immune responses and can be used to construct inflammatory models.	
T1076	Dexamethasone	Strong anti-inflammatory and immunosuppressive activity, used to induce muscle atrophy, hypertension, and depression models.	
T1394	Ibuprofen	A propionic acid derivate and nonsteroidal anti-inflammatory drug (NSAID) with anti-inflammatory, analgesic, and antipyretic effects.	
T0005	Aspirin	A COX-1 and COX-2 inhibitor, commonly used in gastric ulcer modeling and research related to coronary and cerebral vascular thrombosis	
T2144	Tacrolimus	Possesses Strong T-cell immunosuppressive properties, used in organ transplant rejection and autoimmune disease research	
T0945	Cyclosporin A	Immunosuppressant and immune stimulant, can induce autoimmune myocarditis (EAM), neuropathic pain, etc.	
T1537	Rapamycin	Specific mTOR inhibitor and autophagy activator, used in rheumatoid arthritis and other immune-related disease research.	
T1237	Azathioprine	A NF-ĸB inhibitor, which exhibits myelosuppression effect, induces apoptosis and reduces inflammation.	
T1454	Acyclovir	Has anti-herpes virus activity, induces apoptosis, and prevents bacterial infections in acute leukemia induction therapy.	
T1637	Deferoxamine Mesylate	An iron chelator and ferroptosis inhibitor, with antioxidant activity, used in diabetes, neurodegenerative diseases, and cancer research	
T6202	DAPT	A γ-secretase inhibitor with neuroprotective activity, used in lymphoproliferative diseases and neurodegenerative disease research	
T6964	Resiquimod	TLR7/TLR8 agonist, used in heart tissue injury model construction and systemic lupus erythematosus animal model	
T0334	Rosiglitazone	PPARy agonist, TRPC5 activator, and TRPM3 inhibitor, used in obesity, diabetes, aging, and ovarian cancer research	
T1558	Resveratrol	Specific SIRT1 activator, PXR inhibitor, Nrf2 activator, used in antioxidant, anti-inflammatory, and anticancer research	
T1485	Methotrexate	An inhibitor of the dihydrofolate reductase DHFR. Methotrexate has antimetabolic, antitumor, and immunosuppressive activities, and is commonly used in rheumatoid arthritis and various tumors.	
T0065	Acetaminophen	A COX-2 and NAT2 inhibitor, widely used in antipyretic and analgesic research	
T1642	Lenalidomide	An Immunomodulator and ubiquitin E3 ligase ligand, used in multiple myeloma research	
T0458	Indomethacin	A COX1 and COX2 inhibitor; A non-steroidal anti-inflammatory agent with anti-tumor and anti-infective activity	





Inhibitory Antibodies

Catalog No.	Product Name	Description
T6321	Tofacitinib	A Janus kinase inhibitor that inhibits JAK3/2/1. Tofacitinib is used for the treatment of moderate to severe rheumatoid arthritis.
Т9910	Rituximab	A chemical anti-CD20 monoclonal antibody and TNF- α agonist; used in rheumatoid arthritis and Crohn's disease research.
Т9911	Tocilizumab	A humanized monoclonal antibody that binds to the interleukin-6 receptor, used in rheumatoid arthritis, CAR-T cell therapy, COVID-19 research
T9921	Infliximab	A Specific chimeric IgG1 monoclonal antibody against TNF- α , used in autoimmune, chronic inflammation, and diabetic neuropathy research
T78269	Anti-Mouse PD-1 Antibody (RMP1-14)	An IgG1-like immunoglobulin and anti-Mouse PD-1 antibody, used in tumor microenvironment immune checkpoint research
Т9902	Atezolizumab	A fully humanized IgG1 monoclonal antibody that blocks the interaction of PD-L1 with both PD-1 and B7.1; Commonly used in cancer research.
T9901	Adalimumab	A fully human recombinant IgG1 monoclonal antibody that specifically targets human TNF-alpha; Used in rheumatoid arthritis, spondylitis, colitis, Crohn's disease research.

Cytokines

Catalog No.	Product Name	Description
TMPY-02788	IL-2 Protein, Mouse, Recombinant	Enhances the activity of immune cells (e.g., T cells, natural killer cells), used in antitumor research.
TMPY-02350	IL-12 Protein, Mouse, Recombinant (His)	Involved in cancer Th1 immune response; Used to stimulate interferon production and enhance cellular immune response.
TMPY-03238	IL-6 Protein, Mouse, Recombinant	A pro-inflammatory cytokine, used in rheumatoid arthritis and cytokine storm mechanism research.
TMPY-03356	IFN gamma Protein, Mouse, Recombinant	Inhibits viral replication; Used in antiviral, immunomodulatory and antitumor research.
TMPJ-00261	TGF beta 2 Protein, Mouse/Rat, Recombinant	An immunosuppressive factor; Used in immune tolerance, embryonic development, cell migration proliferation and differentiation research.

Compound Libraries

Catalog No.	Library Name	Quantity	Description
L4200	FDA-Approved Drug Library	1,700+	A unique collection of 1,700+ FDA-approved drugs, ensuring safety and stability; high purity and significant efficacy, covering multiple research fields: oncology, cardiovascular drugs, anti-inflammatory, immune, nervous system drugs, respiratory system drugs, etc.

Distributed by:

Compound Libraries

Catalog No.	Library Name	Quantity	Description
L6000	Natural Product Library for HTS	4,000+	4,000+ natural product monomers with diverse structures and strong representativeness, covering over 500 different skeleton structures and over 1000 target receptors
L6710	Anti-Inflammatory Traditional Chinese Medicine Compound Library	1,000+	1,000+ traditional Chinese medicine monomers related to inflammation, including various traditional Chinese medicines such as honeysuckle, coptis, scutellaria, notoginseng, etc.; these monomers have diverse structures such as flavonoids, saponins, terpenes, alkaloids, etc.
L4710	Nonsteroidal Anti- Inflammatory Compound Library	500+	500+ nonsteroidal anti-inflammatory related compounds, used in anti-inflammatory pharmacology research and drug development; includes common non-steroidal anti-inflammatory drug active ingredients such as aspirin, indomethacin, sulindac, ibuprofen, piroxicam, etc.
L4700	Immunology/Inflammation Compound Library	3,000+	A unique collection of 3,000+ compounds with anti- inflammatory activity, including small molecule compounds or macrolide-based drugs, typically having activities such as inhibiting immune proteases, inhibiting nuclear export proteins, inhibiting NF-kB and TNF-α.
-	Anti-Inflammatory Library	28,000+	A collection of 28,000+ compounds targeting TNF, TLR7, kinases (Jak1, Itk, IRAK-4), PDE4, P2X7, NF-kB, etc.
	Anti-inflammatory Screening Compound Library	2,900+	Over 2,900 screened compounds for anti-inflammatory drug screening and drug development research.
-	Immuno-oncology Screening Libraries	3,700+	Over 3,700 compounds related to immunotherapy, assisting research in new cancer treatment and early drug discovery.

Advantages of TargetMol's Products

Comprehensive Product Coverage

covers different targets and pathways related to immunity and inflammation.

High Safety and Stability

products have been verified by numerous literature and research.

Multiple Technical Services

provides virtual screening, compound screening and library customization.

Strict Quality Control

provides a range of quality inspection reports, such as HPLC, HNMR, LC-MS, etc.

High Cost Effectiveness

provides diverse product categories with detailed information.

Application Case 1

Li X, et al. ATM-SPARK: A GFP phase separation-based activity reporter of ATM. Sci Adv. 2023 Mar; 9(9): eade3760.

ATM (Ataxia Telangiectasia Mutated) is a protein kinase that plays a crucial role in the DNA damage response. Under chronic inflammatory conditions, the intracellular environment becomes unstable, leading to increased susceptibility to DNA damage. Upon DNA damage, ATM is activated and participates in processes such as DNA repair, cell cycle regulation, and apoptosis. To study the function of ATM, researchers utilized TargetMol's Immunology/Inflammation Compound Library (Catalog No.: L4700). By transfecting cells with an ATM-SPARK expression plasmid and inducing DNA damage with cisplatin, they conducted high-throughput screening and successfully identified BGT226 as a potential compound that modulates ATM activity (as shown in Figure 3).





Fig. 3 High-throughput screening identifies BGT226 as a potent ATM inhibitor.

Application Case 2

Wang Y, et al. Prim-O-glucosylcimifugin ameliorates aging-impaired endogenous tendon regeneration by rejuvenating senescent tendon stem/progenitor cells. Bone Res. 2023 Oct 23; 11(1): 54.

Research has found that external environmental stimuli (such as inflammation) and internal changes can lead to TSPC (tendon stem/progenitor cell) aging. Maintaining stem cell potency and inhibiting stem cell aging is crucial for tissue homeostasis and regeneration.

To explore whether natural small molecule drugs could delay or reverse tendon stem cell aging and thereby enhance the regeneration and repair of aging tendons, the customer utilized the DLEPS system to screen TargetMol's FDA-approved drug library (Catalog No.: L4200) and the high-throughput screening natural product library (Catalog No.: L6000). By evaluating the impact of compounds on stem cell characteristics, POG was identified as a potential drug candidate. In the experiments, systemic or local administration of POG nanoparticles significantly improved tendon stem cell function in aged rats and promoted tendon regeneration and repair, confirming the potential of POG.



Distributed by:

Citations (Part)

 Chen H, et al. EBV-Upregulated B7-H3 Inhibits NK cell-Mediated Antitumor Function and Contributes to Nasopharyngeal Carcinoma Progression. Cancer Immunol Res. 2023 Jun 2;11(6):830-846.

- · Yan C,et al. Exhaustion-associated cholesterol deficiency dampens the cytotoxic arm of antitumor immunity. Cancer Cell. 2023 Jul 10;41(7):1276-1293.e11. Chloroquine
- Wang Y,et al. MAMDC2, a gene highly expressed in microglia in experimental models of Alzheimers Disease, positively regulates the innate antiviral response during neurotropic virus infection. J Infect. 2022 Feb;84(2):187-204. Lipopolysaccharides
- Liu Z, et al. SCGN deficiency is a risk factor for autism spectrum disorder. Signal Transduct Target Ther. 2023 Jan 2;8(1):3. Dexamethasone
- Chang Z,et al. Tannins in Terminalia bellirica inhibits hepatocellular carcinoma growth via re-educating tumor-associated macrophages and restoring CD8+T cell function. Biomed Pharmacother. 2022 Oct:154:113543.
- Bao S, et al. TGF-β1 Induces Immune Escape by Enhancing PD-1 and CTLA-4 Expression on T Lymphocytes in Hepatocellular Carcinoma. Front Oncol. 2021 Jun 25;11:694145. Cyclosporin A
- Yan C, et al.Exhaustion-associated cholesterol deficiency dampens the cytotoxic arm of antitumor immunity.Cancer Cell.2023 Z-VAD-FMK (Z-VAD)
- Wang C, et al. Manganese Increases the Sensitivity of the cGAS-STING Pathway for Double-Stranded DNA and Is Required for the Host Defense against DNA Viruses. Immunity. 2018 Apr 17;48(4):675-687.e7.

- Bi G,et al. Retinol saturase mediates retinoid metabolism to impair a ferroptosis defense system in cancer cells.Cancer Research.2023: CAN-22-3977.
- Yang L,et al. Leveraging Temporal Wnt Signal for Efficient Differentiation of Intestinal Stem Cells in an Organoid Model. Stem Cells Dev. 2024 Jan; 33(1-2):11-26. DAPT
- · Chen S, et al. Development of a novel peptide targeting GPR81 to suppress adipocyte-mediated tumor progression. Biochem Pharmacol. 2023 Nov;217:115800. Rosiglitazone
- Ma R, et al. Ferroptotic stress promotes macrophages against intracellular bacteria. Theranostics. 2022 Feb 21;12(5):2266-2289. Acetaminophen

References

- 1. Sun SC. The non-canonical NF-κB pathway in immunity and inflammation. Nat Rev Immunol. 2017 Sep;17(9):545-558.
- 2. Goldberg EL, et al. How Inflammation Blunts Innate Immunity in Aging. Interdiscip Top Gerontol Geriatr. 2020;43:1-17.
- 3. Hawiger J, et al. Decoding inflammation, its causes, genomic responses, and emerging countermeasures. Scand J Immunol. 2019 Dec;90(6):e12812.
- 4. Aggarwal BB. Nuclear factor-kappaB: the enemy within. Cancer Cell. 2004 Sep;6(3):203-8.
- 5. Agirman G, et al. Signaling inflammation across the gut-brain axis. Science. 2021 Nov 26;374(6571):1087-1092.

CliniSciences Group

Austria

Company: CliniSciences GmbH Address: Sternwartestrasse 76, A-1180

Wien - Austria

Telephone: +43 720 115 580 Fax: +43 720 115 577

Email: oesterreich@clinisciences.com Web: https://www.clinisciences.com



Company: CliniSciences S.R.L Address: Avenue Stalingrad 52, 1000

Brussels - Belgium

Telephone: +32 2 31 50 800 Fax: +32 2 31 50 801

Email: belgium@clinisciences.com_ Web: https://www.clinisciences.com



Denmark

Company: CliniSciences ApS Address: Oesterbrogade 226, st. 1, Copenhagen, 2100 - Denmark Telephone: +45 89 888 349 Fax: +45 89 884 064

Email: danmark@clinisciences.com

Web: https://www.clinisciences.com



Finland

Company: CliniSciences ApS Address: Oesterbrogade 226, st. 1, Copenhagen, 2100 - Denmark Telephone: +45 89 888 349 Fax: +45 89 884 064

Email: suomi@clinisciences.com Web: https://www.clinisciences.com



Address: 74 Rue des Suisses, 92000 Nanterre-France

Telephone: +33 9 77 40 09 09 Fax: +33 9 77 40 10 11 Email: info@clinisciences.com Web: https://www.clinisciences.com



Germany

Company: Biotrend Chemikalien GmbH Address: Wilhelm-Mauser-Str. 41-43,

50827 Köln - Germany
Telephone: +49 221 9498 320
Fax: +49 221 9498 325
Email: info@biotrend.com
Web: https://www.biotrend.com



Company: CliniSciences ApS Address: Oesterbrogade 226, st. 1, Copenhagen, 2100 - Denmark Telephone: +45 89 888 349 Fax: +45 89 884 064

Email: island@clinisciences.com Web: https://www.clinisciences.com



Ireland

Company: CliniSciences Limited Address: Ground Floor, 71 lower Baggot street

Dublin D02 P593 - Ireland Telephone: +353 1 6971 146 Fax: +353 1 6971 147

Email: ireland@clinisciences.com Web: https://www.clinisciences.com



Italy

Company: CliniSciences S.r.I Address: Via Maremmana inferiore 378 Roma 00012 Guidonia Montecelio - Italy

Telephone: +39 06 94 80 56 71 Fax: +39 06 94 80 00 21 Email: <u>italia@clinisciences.com</u> Web: <u>https://www.clinisciences.com</u>



Netherlands

Company: CliniSciences B.V. Address: Kraijenhoffstraat 137A, 1018RG Amsterdam, - Netherlands Telephone: +31 85 2082 351 Fax: +31 85 2082 353

Email: nederland@clinisciences.com Web: https://www.clinisciences.com



Company: CliniSciences AS

Address: c/o MerVerdi Munkerudtunet 10

1164 Oslo - Norway Telephone: +47 21 988 882 Email: norge@clinisciences.com Web: https://www.clinisciences.com



Poland

Company: CliniSciences sp.Z.o.o. Address: ul. Rotmistrza Witolda Pileckiego 67

lok. 200 - 02-781 Warszawa -Poland Telephone: +48 22 307 0535 Fax: +48 22 307 0532

Email: polska@clinisciences.com Web: https://www.clinisciences.com



Portugal

Company: Quimigen Unipessoal LDA Address: Rua Almada Negreiros, Lote 5, Loja 14, 2615-275 Alverca Do Ribatejo - Portugal

Telephone: +351 30 8808 050 Fax: +351 30 8808 052 Email: info@quimigen.com Web: https://www.guimigen.pt.



Spain

Company: CliniSciences Lab Solutions Address: C/ Hermanos del Moral 13 (Bajo E), 28019, Madrid - Spain Telephone: +34 916 750 700 Fax: +34 91 269 40 74

Email: espana@clinisciences.com Web: https://www.clinisciences.com



Sweden

Company: CliniSciences ApS Address: Oesterbrogade 226, st. 1, Copenhagen, 2100 - Denmark Telephone: +45 89 888 349 Fax: +45 89 884 064

Email: sverige@clinisciences.com Web: https://www.clinisciences.com



Switzerland

Company: CliniSciences AG Address: Fracht Ost Flughafen Kloten CH-8058 Zürich - Switzerland Telephone: +41 (044) 805 76 81 Fax: +41 (044) 805 76 75

Email: switzerland@clinisciences.com Web: https://www.clinisciences.com



UK

Company: CliniSciences Limited
Address: 11 Progress Business center, Whittle
Parkway, SL1 6DQ Slough- United Kingdom
Telephone: +44 (0)1753 866 511

or +44 (0) 330 684 0982 Fax: +44 (0)1753 208 899 Email: uk@clinisciences.com

IWeb: https://www.clinisciences.com



Company: CliniSciences LLC Address: c/o Carr Riggs Ingram, 500 Grand Boulevard, Suite 210 Miramar

Beach, FL 32550- USA Telephone: +1 850 650 7790 Fax: +1 850 650 4383

Email: usa@clinisciences.com Web: https://www.clinisciences.com

